COS18L/COS18R Cut Off Saw

Compact, fast and efficient. The new 18 " cut off saws from Powermatic deliver big performance.





The Gold Standard Since 1921. **POWERMATIC***

COS18L
COS18RCut Off Saw

FEATURE

18" blade and 10HP motor

Heavy steel plate and cast

iron constructed

shock absorber

Full coverage guards

Large air cylinder and

Quick adjust clamp head

BENEFIT

Big cutting capacity

Improved safety

Fast job set-ups

Built for production and durability

Fast cycle times with reduced vibration


Lumber, plastics, composites and non-ferrous materials. When you need a fast square cut and big capacity, the new COS18 makes short work of any job. Powered by a big 10 HP motor, the 18" blade handles

even the biggest work. Designed for production cutting of up to 70 cycles a minute. Standard equipment includes a pneumatic safety guard on the inside and a full basket guard on the finish side. The heavy blade/clamp assembly is quickly positioned for different jobs. The saw is constructed with a cast iron table and heavy steel plate body, built for production

cutting. The blade is mounted to a chrome steel alloy arbor that is precision ground and balanced. The arbor is supported by massive bearings and full power of the 10 HP motor is transmitted to the blade. Each cutting cycle is cushioned by a large shock absorber and cycle times are easily adjustable. A large 4" dust collection port keeps the work area clear. Blade changes are accomplished quickly through the large side access door. Accessory in-feed and out-feed tables are mounted quickly to the saw and the eight-foot table features three flip stops and scale. A cut above the rest, this saw can handle the biggest jobs!

The Gold Standard Since 1921.







Full coverage safety guards include pneumatic interlock on inside and full basket guard on finish side. Large cast iron table fully supports large work pieces.



Massive 10HP motor drives the balanced and ground saw arbor. Integral 4" dust port and large air cylinder fully enclosed. Air interlock system inside cabinet.



Accessory Heavy Duty roller table with three stock stops for fast set up and production cutting. Mounts quickly to the saw body.

COS18L/COS18R Cut Off Saw

Stock Number Left Hand	1791294
Stock Number Right Hand	1791289
Motor-HP-Voltage-Phase	10 HP-230/460V-3PH
Blade Size	18" Diameter/120T
Arbor Size	1"
Arbor Speed	3320 RPMs
Cutting Capacity at MAX Height	43⁄8" x 101⁄2"
Cutting Capacity at MAX Width	1" x 13 ¾"
Table Size	26 ¹ /2" x 28"
Table Height	33"
Air Supply Required CFM/PSI	15 CFM/70 PSI
Cycles per Minute (MAX)	70
Dust Port	4 ^u
Minimum CFM	600
Gross Weight	832
Net Weight	730
PN Accy. Outfeed Table 8Ft.	6827037
PN Accy. Outfeed Table 4Ft.	6827038
PN Accy. Blade 18" 120T 1" Bore	6080157
PN Accy, Premium Blade 120T	6080158
Includes:	Standard Carbide Blade 18" 120T 1" Bore Pnuematic Guard Over Table Basket Guard Over Outfeed Foot Pedal Full Magnetic Controls Door Lock Out Switch Tool Kit Stops Parts and Instruction Manuals

WMH TOOL GROUP Industrial Woodworking Machinery Division 427 Sanford Road LaVergne, TN 37086 1-800-248-0144 www.powermatic.com Part No. 91-611

The Gold Standard Since 1921. POWERMATIC